

 steinel



At home on the world's roofs
Hot Air Tools for Roofing

Anything but basic

HG 2620 E



If you want the best in performance and precision, the HG 2620 E delivers 1750 W of power and allows you to set **four individually tailored programs**. Thanks to its robust design and heavy-duty 16 foot H07 rated flexible power cord with built-in strain relief, it is the safest, most dependable heat tool in the roofing industry.

TECH SPECS

- 120 VAC, 50/60 Hz power supply
- 1750 W output
- 120-1300° F temperature



KEY FEATURES

- 10,000 hour motor life
- Brushless motor
- Precise temperature control, up to 1300° F
- LCD Digital Display
- Field changeable heating element and power cord
- Cool down mode
- Restart protection



All about the accessories

HG 2620 E



Flat Angled Nozzle
20x2 mm
PN: 110049713



Flat Angled Nozzle
20x2 mm, straight
PN: 110037580



Flat Angled Nozzle
20x2 mm, 100°
PN: 106934900



Flat Angled Nozzle
40x2 mm
PN: 110049712



21 FT Power Cord
No Strain Relief
PN: 110059546



Pressure Roller
Ø 45 mm
PN: 110049584



Seam Tester
PN: 110051889



Heavy Duty Case for
20s Series Tools
PN: 110036523



Roofing Kit
PN: 110053227

- HG 2620 E heat tool
- Spare heating element
- Pressure roller Ø 45 mm
- Flat angled nozzle 40x2 mm
- Flat angled nozzle 20x2 mm, 100°
- Heavy duty carrying case

The lightweight hand-held HG 2220 E



ONLY 1.34
POUNDS

The HG 2220 E weighs only **1.34 pounds**. With its ergonomic lightweight design and simple push-on nozzle attachments, this hand welder is effortless to handle on any job.

120-1100°F

THUMBWHEEL
CONTROL

KEY FEATURES

- Variable temperature thumbwheel setting
- Fine dust filter
- Ergonomic soft grip handle
- Field changeable power cord
- Brush motor
- Spare heating element available

TECH SPECS

- 120 VAC, 60 Hz power supply
- 1500 W output
- 120-1100° F temperature



PN: 110025601

Accessories to enhance HG 2220 E



Angle Slit Nozzle
40 mm
PN: 110048748



Pressure Roller
Ø 45 mm
PN: 110049584



Seam Tester
PN: 110051889



Heavy Duty Case for
20s Series Tools
PN: 110036523

All industrial clamp nozzles fit onto this adapter and work with STEINEL's electronic heat tools, including the HL 1920 E, HL 2020 E, HG 2220 E and the HG 2320 E/ESD.



Adapter Nozzle
PN: 110075799



Roofing Kit
PN: 110078501

- HG 2220 E heat tool
- Angle slit nozzle 40 mm
- Heavy duty carrying case



Made for Roofers

Mobile Heat 7



The Mobile Heat 7 has all the power and none of the hassle of traditional heat tools. The new MH7 warms up in less than 30 seconds, with the **temperature reaching up to 1022 °F**. The Mobile Heat series is the first industrial cordless hand welder designed for professional applications and the MH7 specifically for roofers. Made for easy service repairs, this industrial mobile heat tool gets the job done welding TPO, PVC and other roofing membranes with no generators or long extension cords needed for a simple roofing patch. Have this tool available during your final inspection so you can make on the spot repairs to complete your inspection with no punch list.

German Engineered
European Manufactured

12 AH
AMPShare™
Powered by
BOSCH
BATTERY

UP TO TEMP
IN LESS
THAN 30
SECONDS



Easy to Use Tech

Mobile Heat 7



TECH SPECS

- 18 volts power supply
- 900 - 1000 W output
- 120 - 1022° F temperature range

Mobile Heat 7 Roofing Kit
PN: 110102037

- Mobile Heat 7 heat tool
- 40 mm Flathead Slit Nozzle
- Battery Charger
- Heavy Duty Case
- Two 12 Ah AMPShare™ Powered by BOSCH Batteries

KEY FEATURES

- Up to 20 minute run time at max temp
- 9 temperature settings
- Easy to use thumbwheel
- Ergonomic softgrip
- Rechargeable battery indicator
- Compatible with all push-on nozzles
- Rechargeable, battery operated, no cords
- AMPShare™ Powered by BOSCH Batteries



Powered by



AMPShare™ Powered by Bosch are trademarks of Robert Bosch GmbH, Germany

PN: 110102037

Cut the Cord. Keep the Power

Mobile Heat 5



IDEAL
FOR
FIELD
REPAIRS

The Mobile Heat series have all the power and none of the hassle of traditional heat tools. No cords means no hauling generators, making these tools ideal for in-field maintenance work. Heating up to 930°F in less than 30 seconds, these tools have a powerful output and temperature to work in hard-to-reach spaces across roofs making welding TPO repair easy.

KEY FEATURES

- Flexible setting options
- LCD display
- 4 preset application specific applications
- Safety start button
- LED illumination on base of tool
- Compatible with all push-on nozzles
- Rechargeable
- Comes with Heavy Duty Case

TECH SPECS

- 18 volts power supply
- 900 - 1000 W output
- 120 - 930° F temperature range

ADDITIONAL
BATTERIES
AVAILABLE

UP TO TEMP
IN LESS
THAN 30
SECONDS

New Possibilities

Mobile Heat 3



KEY FEATURES

- Dual temperature options
- Safety start button
- LED illumination on base of tool
- Compatible with all push-on nozzles
- Rechargeable
- Comes with Heavy Duty Case

TECH SPECS

- 18 volts power supply
- 600 W output
- 570 or 930° F, 2 temperature options

PN: 110080696

Kits & Accessories

Mobile Heat Series



Mobile Heat 5 Roofing Kit
PN: 110086088

- Mobile Heat 5 heat tool
- 40 mm Angle Slit Nozzle
- Adapter Nozzle
- Two 8 Ah Batteries
- Battery Charger
- Heavy Duty Case

Battery Charger
PN: 110081184

Angle Slit Nozzle
40 mm
PN: 110048748

Adapter Nozzle
PN: 110075799



8 Ah Battery
PN: 110077820

5.5 Ah Battery
PN: 110077819



Pressure Roller
Ø 45 mm
PN: 110049584



Seam Tester
PN: 110051889



Mobile Heat 3 Roofing Kit
PN: 110086091

- Mobile Heat 3 heat tool
- 40 mm Angle Slit Nozzle
- Adapter Nozzle
- Two 8 Ah Batteries
- Battery Charger
- Heavy Duty Case



Mobile Heat 5 Kit
PN: 110084905

- Mobile Heat 5 Heat Tool
- 8 Ah Battery
- Battery Charger
- Heavy Duty Case



Mobile Heat 3 Kit
PN: 110084904

- Mobile Heat 3 Heat Tool
- 8 Ah Battery
- Battery Charger
- Heavy Duty Case



Steinel America, Inc.
9051 Lyndale Ave. South
Bloomington, MN 55420

Support: (800) 852-4343
Email: sales@steinel.net

www.steinel.net



 steinel

v. 08.24